




PT OPTIMA PRIMA SEJATI
KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



Product Radio Device POC



Telex TE320



Hytera PNC 380



Hytera PNC 560



Hytera VM 580D



Hytera MNC 360



PT OPTIMA PRIMA SEJATI
 081315097707
www.optimaprimasejati.co.id
optimaps.marketing@gmail.com

Free Konsultasi dan Solusi Komunikasi

Ruko Sentra Komersial 6 No. 57 Grand Galaxy City,
 Jaka Setia, Bekasi Selatan, Kota Bekasi



PT OPTIMA PRIMA SEJATI
KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



TELOX TE320 SPECIFICATIONS



Telox TE320

Specifications

1. Network 2G/3G/LTE
2. GPS/BDS/GLONASS/AGPS
3. Android 8.1 , RAM 1 GB, Memory 8 GB
4. Speaker 3 Watt
5. Water Proof IP67
6. Baterai 4000 MAH
7. Wifi 802, BT 4.2
8. USB Type C, Suport OTG
9. Dual Sim Card

GENERAL SPECIFICATIONS



Battery 4000 mAh, Li-Polymer, Removable

Sensor Platform Accelerometer Sensor

CONNECTIVITY

GSM: B2/3/5/8

WCDMA: B1/B2/B4/B5/B8

TDS(B34/39)+CDMA(BC0)

Cellular Network

FDD-LTE: B1/2/3/4/5/7/8/12/13/17/18/19/

20/25/26/28a/28b/66

TDD-LTE: B34/B38/B39/B40/B41

LTE Category

LTE FDD R9 Cat.4 150Mbps/50Mbps

WLAN

IEEE 802.11 b/g/n/ 2.4/5GHz

Bluetooth

V4.2+LE+HS+EDR

Location

GPS, GLONASS, BEIDOU and AGPS

NFC

Optional

INTERFACE

Card Slot

Nano-SIM Card Slot * 2

Micro-SD Card Slot * 1

M6 Audio Interface

Support PTT Earphone, Remote Speaker
Microphone and External Speaker,
External Camera

USB

Type-C, USB 2.0, Support OTG

PLATFORM

Operating System

Android 8.1

Preloaded Applications

Push-to-Talk APP (Please check with your
service provider)

AUDIO

Dual-Microphone

Dual-Mic with Noise Cancellation

Speaker

3 Watt Radio-grade Speaker

ACCESSORIES

USB Cable

Travel Charger

STANDARD ACCESSORIES

Battery

Belt Clip

Quick Start Guide

Desktop Charger

Multi-unit Charger

Remote Speaker Microphone

OPTIONAL ACCESSORIES

PTT Earphone

Airtube PTT Earphone

Head mounted Camera with Headset

Nylon Carrying Case

PHYSICAL CHARACTERISTICS

Dimension 129mm*58mm*26.5mm

5.07in*2.28in*1.04in

Weight

230g

ENVIRONMENTAL

Dust And Water Intrusion

IP67

Drop Test

1.5m

Working Temperature

-20°C to + 60°C (-4°F to 140°F)

Storage Temperature

-30°C to + 70°C (-22°F to 158°F)

Humidity

0%RH~90%RH

INTERACTION & DISPLAY

Diagonal dimension

2.0 in

Resolution

320*240

PPI

200

Type

TFT

Buttons and Keyboards

Power Button

Emergency Button

PTT Button

Navigation Button

Volume+&Volume- Buttons

Programmable Button X 1

Indication

Tri-Color LED(Red, Blue, Green)

Text to Speech(Pre-installed TTS Engine)

HARDWARE

Processor

Quad-core ARM Cortex-A53, MPCore
Operating at 1.5GHz

1G RAM

Memory

8GB Internal Storage

Storage is expandable with external
128 GB microSD™ card



PT Optima Prima Sejati



+62 81315097707



optimaps.marketing@gmail.com



Ruko Sentra Komersial 6 No. 57
Grand Galaxy City, Jaka Setia, Bekasi
Selatan. Kota Bekasi

Telox retains right to change the product design and specification. Should any printing mistake occur or little difference between real product and pictures, Telox doesn't bear relevant responsibility

are registered trademarks of Telo

Communication(ShenZhen) Co., Ltd

© 2020 Telo Communication(ShenZhen) Co., Ltd. All Right Reserved.



PT OPTIMA PRIMA SEJATI
KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



Hytera

Hytera PNC 380

Specifications


1. Network 2G/3G/LTE
2. GPS/BDS/GLONASS/AGPS
3. Android 7, RAM 1 GB, Memory 8 GB
4. Speaker 2 Watt
5. Water Proof IP67
6. Baterai 4000 MAH
7. Wifi 802, BT 4.21
8. USB Type Micro USB
9. Single Sim Card

Specifications

General		
Configuration	Basic	Pro
Frequency	Asia, Europe, Middle East and Africa: GSM: 850/900/1800/1900 TD-SCDMA: B34/B39 FDD-LTE: B1/B3/B5/B7/B8/B18/B19/B20/B26/B27/B28	CDMA: BC0 WCDMA: B1/B3/B5/B8 TDD-LTE: B38/B39/B40/B41 America : GSM: 850/900/1800/1900 WCDMA: B2/B4/B5 TDD-LTE: B38/B41 FDD-LTE: B2/B3/B4/B5/B7/B12/B13/B17/B26/B28
Screen size	2 inches	
Screen resolution	320 x 240	
Keypad	Full keypad	
Dimensions (H x W x D)	145.1 mm x 60 mm x 26.1 mm	
Weight	208 g (with battery and antenna)	
Ingress Protection	IP67	
Drop resistance	1.2 m	
RAM	512 MB	1 GB
ROM	4 GB	8 GB
Extended memory	Micro SD/TF card: Maximum 32 G	
Battery	4000 mAh, battery life ≥ 24 h (5-5-90 duty cycle), replaceable	
Battery operating voltage	3.85 V	
Charging mode	Micro USB 2.0 (5 W/1.4 A)	Micro USB 2.0 (5 V/2 A)
Data		
WLAN	2.4 GHz and 5 GHz	
BT	BT 4.1	
NFC	/	Supported
Positioning	GPS/GLONASS/BDS/AGPS	
Audio, Video, and Image		
Camera	/	5 MP rear camera
Flash	/	Supported
Video recording	/	720 P (1280x720) 30 FPS
Video file format	MPEG-4 (.mp4), 3GPP (.3gp)	
Video coding format	VP8, H.264 (BP/MP/HP), MPEG-4 (SP/ASP), H.263 (HEVC)	
Image file format	JPEG (.jpg), PNG (.png)	
Audio file format	MPEG (.m4a), 3GPP (.3gp)	
Certification		
Certification	CE/MIL-STD-810 G/FCC/IC	




BEST EXPLORE DIGITAL





PT OPTIMA PRIMA SEJATI

KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



HYTERA PNC 560 SPECIFICATIONS



Hytera PNC 560

Specifications

1. Network 2G/3G/LTE/5G
2. GPS/BDS/GLONASS/AGPS, Galileo
3. Android 12, RAM 4 G, Memory 128 GB
4. Speaker 3 Watt
5. Water Proof IP68
6. Baterai 5.040 MAH
7. NFC, Wifi 802, BT 4.2
8. USB Type C
9. Dual Sim Card

SPECIFICATIONS

Frequency Band	5G: N1/N2/N3/N5/N20/N28/N41/N66/N71/N78 LTE-FDD: B1/B3/B3/B4/B5/B7/B8/B12/B13/B17/B20/B26/B28 LTE-TDD: B38/B39/B40/B41/B42/B43/B48 GSM: 850/900/1800/1900 WCDMA: B1/B2/B4/B5/B8
Broadband Network	
Hardware	
Operating System	Android 12
Memory	RAM: 4 GB, ROM: 64 GB/RAM: 6 GB, ROM: 128 GB Micro SD: 256 GB (Max)
Dimensions (H x W x D)	166.6 x 77.1 x 13mm
Weight	About 270 g
Screen Size	6.3 inches
Screen Resolution	2340x1080
Cameras	Front: 8 MP, Rear: 48 MP and 8 MP
Flashlight	Available
Battery	5,040 mAh
Charging	USB Type C; Charger
Card Slot	2 x Nano SIM, 1 x Micro SD
Motor	Available
Speaker	3W dual speakers
WLAN	2.4&5 GHz 802.11a/b/g/n/ac
Sensor	Fingerprint, acceleration, gyroscope, geomagnetic, infrared sensor, opto-sensor
Positioning	GPS/BDS/GLONASS/GALILEO/A-GPS
BT	BT 5.0
NFC	Available
Multimedia	
Video Resolution	1080p@30fps
Video File Format	Mp4, 3GP
Video Coding Format	P0, H.264, BP/MP/HP, SP/ASP, DivX 4x/5x/6x, VP9, MP
Photo File Format	JPG, GIF, BMP, PNG, WebP
Audio File Format	MP3
Audio Coding Format	ACC+, eAAC, AMR-NB, AMR-WB, G.711, Windows Media Audio, (WMA) 9/10 Pro
Environment	
Operating Temperature	-20°C to +60°C
Storage Temperature	-30°C to +70°C
Environmental Compliance	RoHS/REACH
ESD	IEC 61000-4-2, (ESD)±12 kV (Air); ±8 kV (Contact)
Ingress Protection	IP68
Drop-proof	1.5m
Certification	
Certification	FCC/CE/IC/ GMS

ACC



PT OPTIMA PRIMA SEJATI

KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



HYTERA MNC 360 SPECIFICATIONS



Hytera MNC 360

Specifications

1. Network 2G/3G/LTE
2. GPS/BDS/GLONASS/AGPS
3. Android 7.1, RAM 1 G, Memory 8 GB
4. Speaker 8 Watt
5. Water Proof IP 54
6. Power Supplay 13.6 - 15 Volt DC
7. Wifi 802, BT 4.2
8. USB Type Micro USB
9. Dual Sim Card




SPECIFICATIONS

Network	
Frequency Band	FDD-LTE: B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/B20/B26/B28 TD-LTE: B38/B39/B40/B41 (2496-2690 MHz) GSM: 850/900/1800/1900 WCDMA: B1/B2/B3/B4/B5/B8
Hardware	
Operating System	Android 7.1
Memory	1 GB RAM + 8 GB ROM
TF Card	128 GB (Max)
Dimensions (H xW x D)	170 mm x 66 mm x 39.3 mm
Weight	About 300g
Display Size	2.0 inches
Display Resolution	320 x 240
SIM Card	2 x Micro-SIM
Positioning	GPS/BDS/GLONASS/A-GPS
WLAN	2.4 GHz, 802.11 b/g/n
BT	BT 4.2
NFC	Optional
External Interfaces	Micro-USB 2.0 (OTG) 3.5 mm audio jack Two LTE antenna ports 2-pin external speaker port GPS antenna connector Power inlet 10-pin aviation port
Input Voltage	13.6±15%V DC
Speaker	≤ 8W
Sensor	Available
Environment	
Operating Temperature	-20°C to +60°C
Storage Temperature	-40°C to +85°C
ESD	IEC 61000-4-2, (ESD) ±12 kV (air); ±8 kV (contact)
IP Rating	IP54
Certification	
Certification	FCC/IC/CE



PT OPTIMA PRIMA SEJATI

KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



HYTERA VM 580 D BODY WORN CAMERA SPECIFICATIONS



Hytera VM 580D



Specifications

1. Network 2G/3G/LTE
2. GPS/BDS/GLONASS/AGPS
3. Android 8.1
4. Speaker 1 Watt
5. Water Proof IP68
6. Baterai 3000 Mah
7. Night Vision, Wifi 802, BT 4.2
8. USB Type Micro USB


SPECIFICATIONS

Network	
2G/3G/LTE	GSM:850/950/1800/1900 WCDMA: B1/B3/B5/B8 LTE TDD: B38/B40/B41 LTE FDD: B1/B3/B5/B7/B8/B20/B26/B28
Size & Weight	
Dimensions (H x W x D)	94 x 63 x 20 mm
Weight	172g (with battery and belt clip)
Camera	
Field of view	Diagonal: 121°, horizontal: 110°, vertical: 71°
Camera focus	0.5 m to infinity
Battery	
Battery life (continuous video recording)	≥ 8 hours (720p@30 fps)
Capacity	3000 mAh
Charging time	≤ 4 hours
Screen	
Size	2.0 inches
Resolution	320 x 240 QVGA
Type	TFT LCD colorful touch screen
Recording	
Storage capacity	16 GB, 32 GB, 64 GB, and 128 GB available
Video resolution	1080p@30 fps, 720p@30 fps, 480p@30 fps
Image resolution	16 MP, 5 MP, 3 MP

Positioning	
GPS/BDS/GLONASS/AGPS	
Connectivity	
WLAN	802.11 b/g/n
BT	BT 4.2
USB type	Micro USB
Audio	
Speaker power	1 W
Microphone	Dual-mic
Environment	
IP rating	IP68
Drop resistance	2 meters (with belt clip)
ESD protection	Contact: ±6 kV; air: ±12 kV
Operating temperature	-30°C to +60°C
Storage temperature	-40°C to +85°C
Certification	MIL-STD-810G, IP68, CE
Night vision	
Night vision range	Up to 10 meters
White light	Supported



PT OPTIMA PRIMA SEJATI
KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



REAL - PTT


Feature Real PTT

1. Dispathcer /Command
2. Private Call dan Group Call
3. Multimedia message
4. Recording Event Log
5. Emergency Call
6. Management Device (Baterai)
7. Tracking GPS Posisi User
8. Invisible User
9. Kualitas Suara Clear 8 K



Tampilan Device

PLATFORM REAL - PTT



Tampilan PC/ Dispatch



PT OPTIMA PRIMA SEJATI
KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



Walkie Fleet

Feature Walkie Fleet

1. Dispatcher/ Command
2. Private Call, Group Call dan Group Path
3. Recording Event Log
4. Emergency Call
5. Multimedia Message
6. Dynamic Group Call
7. Video Call PTT
8. Management Device (Baterai, User, OTAP)
9. Tracking GPS Posisi User
10. Kualitas Suara Clear16 K
11. Keamanan AES-256 Encryption


PLATFORM WAKIE FLEET



Dark & Light
Dispatcher Themes

WalkieFleet 5.7.4

Tampilan PC/Dispath Consule



Tampilan Device

BEST EXPLORE DIGITAL

Partner





PT OPTIMA PRIMA SEJATI
KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



HyTalk


Feature Hytalk

1. Dispatcher/ Command
2. Private Call, Group Call dan Group Path
3. Recording Event Log
4. Emergency Call
5. Multimedia Message
6. Dynamic Group Call
7. Video Call PTT
8. Management Device (Baterai, User, Group)
9. Tracking GPS Posisi User
10. Kualitas Suara Clear 16 K
11. Keamanan AES-256 Encryption


Hytera



PLATFORM HYTALK



Tampilan PC/Dispatch Console




Tampilan Device



PT OPTIMA PRIMA SEJATI

KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



SERVICE YANG KITA BERIKAN

- Free Maintenance Software
- Free Update Software
- Konsultasi pelayanan service call center 24/7
- Garansi Device 1 - 2 tahun



BEST EXPLORE DIGITAL



HyteraHyTalk





PT OPTIMA PRIMA SEJATI

KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



Kenapa Harus di PT Optima Prima Sejati

- Ahli dan spesialis radio komunikasi digital
- Profesional dibidang radio komunikasi digital
- Free training user dan operator dispatcher
- Free maintenance perangkat, software dan update software
- Free konsultasi komunikasi agar investasi komunikasi efisien.
- Free pelayanan 7/24 Jam
- Perangkat legal dan terdaftar di SDPPI KOMINFO
- Service center di Indonesia
- Kerahasian data komunikasi anda, kami jamin aman





PT OPTIMA PRIMA SEJATI

**KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI**



KELEBIHAN RADIO KOMUNIKASI DIGITAL

1. Tanpa membangun Infrastruktur Repeter / RPU
2. Tanpa Ijin Frekuensi Radio
3. Tidak ada biaya maintenance
4. Real time komunikasi 2 arah , Private Call, Group Call, Group Patches
5. Real Time GPS Tracking
6. Audio Cristal Clear
7. Menggunakan Dispathcer Terpusat dan bisa memonitor user / pemegang device.
8. Sangat Mudah Penggunaan device
9. Jangkauan tiada batas
10. Video Call PTT
11. Recording Event Log
11. Keamanan AES-256 Encryption
12. Emergency Call


BEST EXPLORE DIGITAL

Partner





PT OPTIMA PRIMA SEJATI
KOMUNIKASI TANPA BATAS
TANPA IJIN FREKUENSI



BEST EXPLORE DIGITAL

Partner



INFORMASI LEBIH LANJUT

PT OPTIMA PRIMA SEJATI

081315097707

www.optimaprimejati.co.id

optimaps.marketing@gmail.com

Ruko Sentra Komersial 6 No. 57 Grand Galaxy City,
 Jaka Setia, Bekasi Selatan, Kota Bekasi

